



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification: G06F 13/00	A1	(11) International Publication Number: WO 00/63780 (43) International Publication Date: 26 October 2000 (26.10.2000)
(21) International Application Number: PCT/US00/09613 (22) International Filing Date: 11 April 2000 (11.04.2000) (30) Priority Data: 09/295,823 21 April 1999 (21.04.1999) US (60) Parent Application or Grant SILICON STEMCELL, LLC. [/]; O. SCHENA, Robert, J. [/]; O. ANDERER, Mike [/]; O. RITZ, Peter, B. [/]; O. BENENSTEIN, Mike [/]; O. LAVORGNA, Gregory, J. ; O.	Published	
(54) Title: METHOD FOR MANAGING PRINTED MEDIUM ACTIVATED REVENUE SHARING DOMAIN NAME SYSTEM SCHEMAS (54) Titre: PROCEDE DE GESTION DE SCHEMAS DE SYSTEMES DE NOMS DE DOMAINES A PARTAGE DE RESSOURCES A PARTIR D'UN SUPPORT IMPRIME		
(57) Abstract <p>A method for bridging the gap between the virtual multimedia-based Internet world and the physical world of tangible object media, such as print media. More particularly, a method for managing a domain name service based on initiating a communication from an object containing provider information using a scanner (100), a portal server (200) and a receiver (180) connected across a network. The method involves scanning a machine-readable code (10) containing a link information corresponding to the provider information from the object (50) using the scanner (100) and storing the machine-readable code in a memory. The link information is then extracted from the machine-readable code (10) in the memory. A user input information corresponding to the provider information is also obtained and stored in the memory. The link information and the user input information are then sent to the portal server (200) via the network. The portal server (200) receives the link information and user input information and selects a multimedia information sequence corresponding to the link information and the user input information. The multimedia information sequence is then sent to the receiver (180) via the network. The receiver (180) receives and stores the multimedia information sequence plays the sequence automatically or in response to a stimulus such as a user request.</p>		
(57) Abrégé <p>Cette invention concerne un procédé permettant de combler la lacune existant e fossé entre le monde virtuel d'Internet basé sur le multimédia et le monde réel d'objets tangibles, les média imprimés par exemple. L'invention concerne en particulier un procédé de gestion d'un service de noms de domaines grâce au lancement d'une communication à partir d'un objet renfermant des informations de fournisseur au moyen d'un dispositif de balayage (100), d'un serveur de portail (200) et d'un récepteur (180) connectés au sein d'un réseau. La démarche consiste à balayer un code lisible par machine (10) qui renferme une information lien correspondant à une donnée de fournisseur présente sur un objet (50) au moyen du dispositif de balayage (100) et à stocker ledit code en mémoire. L'information lien est ensuite extraite du code lisible par machine (10) mis en mémoire. On se procure également une information d'entrée d'utilisateur correspondant à l'information fournisseur, information qui est mise en mémoire. L'information lien et l'information d'entrée de l'utilisateur sont ensuite transmises au serveur de portail (200) via le réseau. Le serveur de portail (200) reçoit ces deux informations et sélectionne une séquence d'informations multimédia qui leur correspond. Cette séquence est alors envoyée au récepteur (180) via le réseau. Le récepteur (180) reçoit la séquence d'informations multimédia, la stocke et l'affiche automatiquement ou en réponse à un stimulus tel qu'une demande provenant d'un utilisateur.</p>		

PCT


WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 : G06F 13/00		(11) International Publication Number: WO 00/63780
A1		(43) International Publication Date: 26 October 2000 (26.10.00)
(21) International Application Number: PCT/US00/09613 (22) International Filing Date: 11 April 2000 (11.04.00) (30) Priority Data: 09/295,823 21 April 1999 (21.04.99) US (71) Applicant: SILICON STEMCELL, LLC. [US/US]; 100 Four Falls Corporate Center, Suite 211, Conshohocken, PA 19428 (US). (72) Inventors: SCHENA, Robert, J.; 424 General Washington Road, Wayne, PA 19807 (US). ANDERER, Mike; 4567 South Mathews Way, Salt Lake City, UT 84124 (US). RITZ, Peter, B.; 1225 Gilbert Road, Meadowbrook, PA 19046 (US). BENENSTEIN, Mike; 5300 E. Calle Basque, Tucson, AZ 85718 (US). (74) Agent: LAVORGNA, Gregory, J.; Seidel, Gonda, Lavorgna & Monaco, P.C., Two Penn Center Plaza, Suite 1800, Philadelphia, PA 19102 (US).		(81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: METHOD FOR MANAGING PRINTED MEDIUM ACTIVATED REVENUE SHARING DOMAIN NAME SYSTEM SCHEMAS



(57) Abstract

A method for bridging the gap between the virtual multimedia-based Internet world and the physical world of tangible object media, such as print media. More particularly, a method for managing a domain name service based on initiating a communication from an object containing provider information using a scanner (100), a portal server (200) and a receiver (180) connected across a network. The method involves scanning a machine-readable code (10) containing a link information corresponding to the provider information from the object (50) using the scanner (100) and storing the machine-readable code (10) in the memory. The link information is then extracted from the machine-readable code (10) in the memory. A user input information corresponding to the provider information is also obtained and stored in the memory. The link information and the user input information are then sent to the portal server (200) via the network. The portal server (200) receives the link information and user input information and selects a multimedia information sequence corresponding to the link information and the user input information. The multimedia information sequence is then sent to the receiver (180) via the network. The receiver (180) receives and stores the multimedia information sequence plays the sequence automatically or in response to a stimulus such as a user request.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

THIS PAGE BLANK (USPTO)

Description

5

10

15

20

25

30

35

40

45

50

55

**METHOD FOR MANAGING PRINTED MEDIUM ACTIVATED
REVENUE SHARING DOMAIN NAME SYSTEM SCHEMAS**

Cross-Reference to Related Application

This application is related to U.S. Application Serial Number
09/236,176 (Attorney Docket No. 9469-2), filed January 25, 1999 and entitled
"PRINTED MEDIUM ACTIVATED INTERACTIVE COMMUNICATION OF
MULTIMEDIA INFORMATION, INCLUDING ADVERTISING."

Field of the Invention

The present invention is related to a method for bridging the gap
between the virtual multimedia-based Internet world and the physical world of
tangible object media. More particularly, the invention relates to a method for
managing a domain name service based on initiating a communication from an
object containing provider information using a scanner, a portal server and a
receiver connected across a network.

Background of the Invention

Each server connected to the Internet has associated with it at least one
unique Internet protocol (IP) address. The IP address is typically represented by

5 a series of four numbers each separated by a period, such as "192.33.44.1" and is
translated into a domain name by a Domain Name Server also known as a domain
10 name service ("DNS"). The DNS is a static, hierarchical name service that
maintains a database for resolving host names and IP addresses. For example, the
5 numeric IP address "209.224.235.137" is converted by the DNS into the domain
name "CLIC-THRU.COM". This conversion allows users to connect to remote
15 computers by inputting host names as well as IP addresses.

Until recently, only one company, Network Solutions, Inc. (NSI), was
charged with allocating and administering DNS. Thus, any entity interested in
20 obtaining a DNS entry had to register with NSI by providing, among other things,
a unique alphanumeric sequence (e.g. "CLIC-THRU.COM") which NSI would
associate with an internet protocol (IP) address (e.g. 209.224.235.137). Recently,
25 businesses other than NSI have been permitted to register DNS entries. The
invention described herein provides for an alternative to the present DNS schema
15 by using a system which incorporates scanner technology to manage the DNS.

Scanner technology has been used for many years in many contexts. By
30 way of example, scanners are used in supermarkets, with personal computers, and
in inventory, manufacturing, and resource control systems. However, scanner
technology has not previously been thought of as a means to bridge the gap
20 between static printed media and the "virtual world" of interactivity, which
35 includes the Internet, advertising, entertainment, and electronic commerce.

Printed media have been the primary source of communicating information,
including news and advertising information, for centuries. The advent of the
40 Internet over the past few decades has expanded the concept of printed media by
25 making it available in an electronically readable and searchable form and by
introducing interactive multi-media capabilities unparalleled by traditional printed
45 media. Unfortunately, many users of printed media do not possess the requisite
technical expertise to use the Internet as an efficient source of information. Thus,
although almost everyone in the world has access to printed media on a daily basis,

only a small percentage of those people possess the requisite technical expertise to use the Internet.

There exists a need for managing a DNS that can link all users of printed media and tangible object media to the "virtual world" and that can deliver desired information to the user without regard to the user's technical expertise, knowledge of IP addresses or domain names. The present invention provides such a method by using scanner technology to bridge the gap between tangible object media, the virtual world of interactivity and the Internet. Moreover, managing a DNS using a system as described herein enables those controlling the tangible object media, such as print media, to enhance their presentation of information to their customers by providing them with a multimedia experience unavailable in traditional printed media.

Summary of the Invention

The present invention comprises a method for managing a domain name service based on initiating a communication from an object containing provider information via a network, such as the Internet, an intranet, or an extranet, which connects a scanner, a portal server, and a receiver. The method involves scanning a machine-readable code containing a link information corresponding to the provider information from the object using the scanner and storing the machine-readable code in a memory. The link information is then extracted from the machine readable code in the memory. A user input information corresponding to the provider information is also obtained and stored in the memory. The link information and the user input information are then sent to the portal server via the network. The portal server receives the link information and user input information and selects a multimedia information sequence corresponding to the link information and the user input information. The multimedia information sequence is then sent to the receiver via the network. The receiver receives and stores the multimedia information sequence plays the sequence automatically or in response to a stimulus, such as a user request.

5
10
15
In one embodiment of a system executing a method of the invention, the scanner and the receiver comprises a single device. In another embodiment, the scanner communicates with the portal server directly, and customer premises equipment ("CPE"), serving as the receiver, plays multimedia sequence information received from the portal server. In a further embodiment, the CPE operates as both a scanner and a receiver. The multimedia sequence information may be advertising or transaction information and may contain one or more of textual, audio, or video information.

20
25
30
35
10
15
20
In a preferred embodiment of a system executing a method of the invention, the scanner includes a memory, a user interface, and a communications bridge. The scanner may be, for example, a remote control, a mouse, a cellular telephone, a personal digital assistant, a personal computer, a pager, or a two-way pager. The scanner detects and reads data, such as machine-readable codes containing link information corresponding to provider information from the printed medium. A plurality of codes may be stored in the scanner, the receiver, and the portal server. The link information corresponding to the provider information may include, for example, a universal resource locator, an Internet address information, trademark information, a source of origin, an organization name, a product name, a service name, benefit redemption information, provider defined information, user personal profile information, user interest information, server command information, and customer premises equipment preference information.

40
45
50
55
25
The user interface obtains user input information, such as an advertising authorization, a transaction authorization, user personal profile information, and user interest information corresponding to the provider information. The user input information may be received and stored by either the scanner, the receiver, or the portal server. The scanner routes the link information and the user input information based upon a user request via the user interface. The user interface may be, for example, a voice-activated system, a keypad, or a keyboard. In one embodiment of a system executing a method of the invention, the user interface may reside on any

one or more of the scanner, the receiver, such as customer premises equipment for displaying the multimedia sequence information, or the portal server.

The communications bridge sends the link information and the user input information to the receiver and, via the network, to the portal server. An infrared communications system, a mobile radio communications system, or an IP-based communications system are exemplary of the communications bridge.

The portal server is in communication with the scanner or the receiver via the network. In one embodiment of a system executing a method of the invention, the portal server is accessible via the Internet to any Internet user. In another embodiment, the portal server is accessible only by the provider of information. The portal server is capable of receiving the link information and the user input information, selecting a multimedia information sequence corresponding to the link information and the user input information, and sending the multimedia information sequence via the network to the receiver. The portal server is further capable of tracking link information corresponding to a user, including a universal resource locator, Internet address information, a trademark information, a source of origin, an organization name, a product name, a service name, a benefit redemption information, a provider defined information, a user personal profile information, a user interest information, a server command information, and a customer premises equipment preference information.

In a preferred embodiment of a system executing a method of the invention, the portal server is further capable of tracking a percentage of a fee to be charged to the information provider based on, for example, the selected multimedia information sequence, the number and frequency of the link information received by the portal server corresponding to a particular information provider, or the transaction value in the event the selected multimedia information sequence generates a transaction.

In another embodiment of a system executing a method of the invention, the portal server is further capable of tracking a percentage of a fee to be charged to the information provider based on, for example, the selected multimedia information

5
10
15
20
25
30
35
40
45
50
55

sequence and either of the user personal profile information or the user interest information. The portal server is further capable of auctioning the user interest information according to a user defined auction criteria in the user personal profile information to an information provider. The user personal profile information may be stored on the portal server.

The receiver is in communication with the scanner and the portal server, and is capable of receiving the link and user input information, receiving a multimedia information sequence, and playing the multimedia information sequence. The receiver may be a CPE, such as a television, a set top box, a computer, a cell telephone, a remote control, a personal digital assistant, an integrated PC-TV device (e.g. Web TV) or a pager.

A system executing a method of the invention may further comprise a code tracking module for tracking ranges of unique codes which can (but do not necessarily have to include) one or more of embedded template calls for interactivity, references to the publisher, media originator, ad placement, date of publication, dealer, and other provider information. A method of the invention may include one or more of the steps of tracking licensing fees corresponding to licensing the codes to third parties, tracking the advertising used in connection with the codes, and collecting the demographics or indigraphics (i.e. individual demographics) corresponding to the use of the codes. A method may also include tracking a licensing fee for use of the link table information. By way of example, a system executing a method of the invention may be capable of tracking the fact of a person scanning the back of a manufacturer's notebook computer, and either maintaining the multimedia request for information with or for the manufacturer, or auctioning that information to a third party, such as a competitor.

The code tracking module may further be capable of tracking commercial transactions involving leasing the link table(s) associated with the code. A method of the invention may include automatically notifying a manufacturer of an object bearing the code of the scan. A method of the invention may also include tracking and aggregating all scanned information (i.e. the codes.)

Any one of the scanner, the receiver, or the portal server may be capable of supporting downloadable applets and/or templates to provide additional functionality and interactivity. These elements could also support Java applets or work with Jini enabled devices. That is, the system can use and extend the Jini technology.

A method of the invention includes the steps of receiving the code in alphanumeric format (e.g. a combination of numbers and letters printed in conjunction with the machine-readable code) at the user interface and presenting the resulting or corresponding multimedia sequence.

A preferred method of the invention uses the system as described as an alternative method for managing the present DNS schema. Thus, the typical alphanumeric sequence (i.e. CLIC-THRU.COM) may be supplemented or substituted with machine-readable code, which may contain any digital information such as executable code, the templates, or other digital content such as video, audio, or text data. The code may be transparent or non-transparent. In one embodiment of a system executing a method of the invention, the code may link through a URL which then links to an IP address. In another embodiment, the code may link to an IP address which in turn links to a URL.

Under this schema, a method of the invention includes charging companies for signing up for the alternate DNS and tracking their use of the system. The method may also include linking to the ordinary DNS sites. When the system is deployed under the subject invention, the link tables aggregated across the system for resolving the multimedia content locations establish the alternate DNS.

A preferred method of the invention includes the step of tracking the purchasers based on transaction size and frequency and matching the size and frequency to a scanner device such that the device cost is subsidized based on the size and frequency of the transaction.

In an embodiment, a system executing a method of the invention includes a credit card module for working in conjunction with a credit card company. The credit card module is capable of tracking transactions and corresponding referrals.

5 It is further capable of online access to credit limits for transactions including shopping. Its tracking capabilities may include tracking the size and frequency of
10 purchases and corresponding purchasers. The credit card module may be further capable of two-way communication such as obtaining credit and balance
5 information and maintaining transactions and other similar functionality. The system may further contain an affinity information tracking module whereby the
15 module maintains benefit redemption, frequent flyer, or similar affinity information.

20 In an embodiment, a system executing a method of the invention is further capable of use in conjunction with directory listings, such as the yellow pages, whereby the printed medium is, for example, the yellow pages book.

25 In an embodiment, a method of the invention includes the step of tracking fees corresponding to transactions initiated via a scan whereby everyone along the consumption and distribution food chains gets paid a percentage of the transaction.
15 The food chain may include portal providers, hardware manufacturers with imbedded scanning technology of the present invention, bandwidth carriers (e.g. telephone, cable, and satellite), media companies, ad firms, persons placing the ad,
30 stores where the transaction was initiated, information providers, and any other parties facilitating the transactions. The store may be a virtual store whereby the store owner only leases one or more link table entry, and links to an ordinary distributor for the balance of the transaction.
35

40 In another embodiment, a method of the invention includes the step of tracking one or more of the purchasers or e-commerce transactions based on the transaction size and frequency, and matching the size and frequency to a second
25 product or service device such that a cost of the second product or service is subsidized based on the size and frequency of the transaction initiated via a scan. By way of example, a long distance phone company may be able to bolster its long
45 distance offerings by selling value based services, as can ISP's, and paging companies. By way of another example, a company could offer free or subsidized
30 services (e.g. Internet access) based on a percentage of e-commerce transactions,
50

the ability to sell them as a combined market, or the ability to do targeted and micro-segmented advertising.

Brief Description of the Drawings

Figure 1 depicts an embodiment of a system performing a method of the present invention using a receiver to communicate with both a scanner and a portal server.

Figure 2 depicts an embodiment of a system performing a method of the present invention wherein the scanner communicates with a portal server directly without a receiver.

Figure 3 depicts an embodiment of a system performing a method of the present invention wherein the scanner and the customer premises equipment are integrated into one device.

Figure 4 depicts an embodiment of a system performing a method of the present invention wherein the a customer premises equipment is separate from the receiver and the scanner.

Detailed Description of the Invention

Figure 1 depicts an embodiment of a system performing a method of the present invention including three components: a scanner 100, a receiver 180, and a portal server 200. In one embodiment, the scanner 100 and the receiver 180 comprise into a single device. In another embodiment, the scanner 100 communicates with the portal server 200 directly, and a customer premises equipment ("CPE") 300, serving as the receiver 180, plays multimedia sequence information received from the portal server 200.

The scanner 100 may be a handheld device, preferably, but not necessarily, wireless. The scanner 100 may be, for example, an enhanced existing electronic device, a TV remote control, a mouse, a cell phone, a PC card device, a palmtop, a calculator, a key chain, a pen, an identification card, a smart card, a hand held

5 GPS device, a desktop or laptop computer, a digital appliance, a microprocessor-based device., a personal digital assistant, a pager or a two-way pager.

10 The scanner 100 is capable of reading data such as non-coded data and machine-readable code 10 from the printed medium 50. The machine-readable
5 code 10 may be a barcode, an enhanced barcode, a new enhanced code, or any type of code, including dynamic codes and high density barcodes.

15 The code 10 contains a link information corresponding to a provider information from a printed medium 50. The link information may correspond to a universal resource locator ("URL"), an Internet address information, network
20 address information, a trademark information, a source of origin, an organization name, a product name, a service name, a benefit redemption information, a provider defined information, a user personal profile information (*i.e.*, "a cookie"), a user interest information, a server command information, and a customer premises
25 equipment preference information.

15 The link information may be an alphanumeric sequence printed in form of the machine-readable code 10. The alphanumeric sequence may be assigned to the printed medium 50 by the provider 600 and may be encoded according to the
30 provider's 600 preference. The alphanumeric sequence may activate and result in the playing of the multimedia sequence information 500. For example, a machine-readable code 10 on the printed advertisement for an automobile may translate into
35 the following alphanumeric sequence "A001B0990799A5557ZQZ6898". The "A001" designation may correspond to a template on the scanner 100 enabling Ford to present a person with a user input information asking whether the person is
40 interested in advertisements, transactions, or both. The "B099" designation may refer to a type and name of the magazine which carried the ad. The "0799"
25 designation may refer to July 1999 issue from advertiser A5557 which might be a local automobile dealer. The "ZQZ6898" designation may be the network code and could refer to a network address at the portal server 200 or to a link table. Existing
45 UPC or ISBN numbers may serve as the alphanumeric sequence. At least one of the scanner 100, the receiver 180, or the portal server 200, may extract the provider
30

5 information from such alphanumeric sequence and translate it into a network address at the portal server 200 or a link table.

10 The code 10 comprises at least one of the link information, and a publication information (*i.e.* where the information was published or located),
5 along with a demographic and other advertising or message-specific information provided by a provider 600. The code 10 may also comprise personal and provider security information.

15 A method of the invention includes using the system to collect and manage code 10 that lacks link information. This linkless code information may be added
20 to the cookie along with any additional user input information. The code 10 is capable of being read by a scanner 100 or a transducer generating and transmitting the link information based upon a stimulus. The scanner 100 or transducer is capable of differentiating between information and data contained within code 10.
25 One type of the code 10 may be an information-only type that would link to an information page. A simple example of this would be a scanned universal product code ("UPC") printed on a can of food linking a person using the system to the manufacturer's information on nutrition, recipe, or transaction information. The system can also process UPC codes by directing them to a link table to resolve the link without any added codes. The system is capable of processing the ISBN
30 number codes, UPC codes and any codes currently in use.

35 More complex interactive codes could be routed based on any of the scanned information in combination with user personal profile information (*i.e.* "a cookie"), user interactive responses from the user input information, the person's location or other demographic information and a portal server database 210
40 information. The cookie comprises a person's identifying information such as name, address, credit card(s) information, and other related information. Cookies may be stored on the scanner 100, the receiver 180, or the portal server 200. Other information that may be combined with the code 10 includes executable code downloaded from the portal server 200 or provider 600, and user input information
45 that could further supplement the scanned information from code 10 by eliciting an
50

5 interactive response from the person using the system

10 One exemplary code corresponds to reordering information such that a reordering of a product may be activated by scanning the code 10, recognizing it as a reorder, and maintaining a transaction via the portal server 200 such that a percentage of a fee for the reorder is maintained by a fee tracking module 220. In an embodiment, the fee is shared with the person placing the transaction. In another example, an HMO pharmacy could encode patient information, medication information, and refill information onto a printed label of medication upon its dispensing. The information would be represented by code 10. Scanner 100 would read the code 10 and validate the personal information contained in the code 10 against the user personal profile information stored on either the scanner 100, the receiver 180, the portal server 200, or a provider 600. Once the validation is complete, the system allows for secure transactions to proceed, including authenticated refills, recording the transaction and maintaining an accounting of a percentage of a fee for the refill using the tracking module 220.

15 A method of the present invention contemplates using additional code types such as phone numbers, business card, service information, benefit redemption information, rebate, coupon, literature, or any general information category of interest to a person or information provider 600. The information contained in the additional code types may be uploaded to the scanner 100, receiver 180, or portal server 200 once or sent locally or with cookie and security information from anywhere in the network. The processing of codes 10, including additional code types, may optionally but not necessarily be done at a time different from reading and scanning the printed medium 50. In a preferred embodiment, the scanner 100 generates and stores a code file in memory 110 representing a collection of codes scanned by the operator in any given time period. The scanner 100 uploads the coded file in memory 110 to the receiver 180 according to a user initiated stimulus. For example, a user may find four advertisements of interest in a printed medium 50, such as a magazine. The scanner 100 could read the four codes 10 from the magazine advertisements and store them in the memory 110. Subsequently, at a

time convenient to the user, the user can upload the information to the receiver 180 for processing.

The information in the code 10 could be simple data or complex data-type-plus data, such as encoded, printed multimedia information. A UPC code is an example of simple data. The information used by the system can also be non-coded or raw. For example, a universal resource locator ("URL") is non-coded data, but when encoded as a URL-type code 10, the information in the code 10 may be processed.

A method of the invention uses unique code templates for interactivity which contain transaction information, authorization information, references to the publisher, media originator, ad placement, date of publication, dealer, reseller or distributor. The system is capable of tracking the scans according to the code types used in scanning these ads and collecting the demographics. A method of the invention may also include the steps of tracking and redirecting the usage of the codes 10 by different information providers 600 based on the content of the printed information. For example, a person scans an identifying code 10 related to a brand of computer. The computer manufacturer would like to direct the person to its information site. However, the person who performed the scan or portal server 200 that processed the scan, may choose to auction off the instance of the scan to a competitor, thereby allowing the competitor to bid for the right to transmit more information to the person about the competitor's comparable product or a transaction, such as user interest information.

Another method of the invention includes communicating with digital copyright databases bearing the code in tangible format. For example, an article that includes the code 10 may direct a person wanting to copy the article to the copyright database. The method may include the steps of charging the person a fee and suggesting related articles based on the information in the code 10. The method may also include the steps of monitoring the commercial, office, and copying equipment connected to the network that processes the code, and then activating the access to the copyrighted materials database. In that context, the

code serves as an intelligent watermark capable of carrying the article identifying information, distribution information, and fee related information.

Preferably, the code 10 features a small footprint, an attractive appearance, a high density of information, and ease of scanning. For example the footprint may be a triangle shaped code with a logo and an indicator of what type of code 10 it is (information, e-commerce, or both). The identifying characteristics of the presentation of the code 10 signify that the code is not an ordinary advertisement, but part of an enhanced information medium leading to multiple dimensions of multimedia information sequences 500.

The scanner 100 can transmit the code 10 to a receiver 180, such as a television, a set top box, a computer, a cell telephone, a remote control, a personal digital assistant, an integrated PC-TV device (e.g., Web TV), a pager or two-way pager, or directly to the portal server 200. The receiver 180 is in communication with a network, such as the Internet or other network, and can direct or link a person to a specific network address or site based on the machine-readable code or codes 10 contained in the scanned information from the printed medium 50.

For example, the provider information depicted on a printed medium 50 may be advertising information for an automobile. The manufacturer of the automobile would be provider 600. The link information in code 10 from the printed advertisement may include network address information, such as for example the manufacturer's web site. Processing the link information may result in playing a multimedia information sequence 500 on the receiver 180 provided by provider 600. Additionally or in the alternative, the network address information may point to a file containing executable computer code which could be downloaded or executed remotely then displayed on the receiver 180 or scanner 100. One or more link table(s) (not shown) may also be used to facilitate a two-way communication between the provider 600 and receiver 180. A link table containing network codes and associated network address information, for example, may be accessed to process link information containing only the network code. The link table associates the network code to a network address information to

5 facilitate the connection between provider 600 and receiver 180. Link information
may also be cascaded via the link table(s). Link tables may be located on or be
10 accessible to the receiver 180, the portal server 200, or the provider 600. The
machine-readable code 10 can also link the person directly to a specific Internet
5 address without accessing a link table.

15 In a preferred embodiment of a system executing a method of the invention,
the scanner 100 includes a memory 110, a user interface 120, and a
communications bridge 130.

20 The user interface 120 obtains user input information, such as an advertising
10 authorization, a transaction authorization, a user personal profile information, and
a user interest information corresponding to the provider information. The user
input information may be received and stored in the scanner memory 110, the
25 receiver 180, or the portal server 200. The scanner 100 routes the link information
and the user input information based upon a user request via the user interface 120.
15 The user interface 120 may be, for example, a voice-activated system, a keypad, or
a keyboard. In one embodiment, the user interface 120 may reside on any one or
30 more of the scanner 100, the receiver 180, such as a customer premises equipment
("CPE") 300 for displaying the multimedia sequence information 500, or the portal
server 200.

35 20 The communications bridge 130 sends the link information and the user
input information to the receiver 180 and, via the network, to the portal server 200.
An infrared communications system, a mobile radio communications system, or an
IP-based communications system are exemplary of the communications bridge.

40 The scanner 100 comprises a handheld component in a preferred
25 embodiment. The handheld component may comprise an enhanced existing device
like a TV remote control, a mouse, a cell phone, a REX device, a palmtop, a
45 calculator, a key chain, a pen, an identification card, a smart card, a hand held
global positioning system ("GPS") device, a desktop or laptop computer or virtually
any other digital appliance or a microprocessor based device. The scanner 100
30 could be a proximity-based device that would activate a smart button, which is a

5 device having a memory and a communicator to upload the information in the
memory to a network, or a contact-based device. For example, scanner 100 may
10 be either an optical scanner or a transducer, respectively. The scanner 100 may
have several modes, such as scan and process, scan and hold, and scan and display.

5 The scanner 100 may also have a mode allowing copying of the code 10 for backup
or review and edit. The scanner 100 may also have a light and/or a sound indicator
15 for confirming that a valid scan occurred. The scanner 100 may also have transmit
and receive indicators for confirming that a valid scan occurred. Optionally, the
scanner 100 could communicate with another scanner 100 to exchange link, code,
20 or cookie information.

Figure 3 depicts the scanner 100 as part of an integrated dedicated unit 400
which includes a memory 420, a microprocessor (not shown), stored templates
25 containing the link and cookie information (not shown), a display 430, a cable (not
shown), and a wireless transmitting device 440, such as infrared, visual or radio
15 frequency. The dedicated unit 400 could contain any subset of these components
or include other components as depicted in Figures 2 and 4.

30 A method of the invention includes the steps of scanning encoded
information from the embedded codes 10 and uploading these codes to the portal
server 200 for immediate or delayed processing or for reference. A method may
35 also include allowing print advertisers to track their impressions to execution and
to collect demographic information about the person performing the scan through
a tracking module 220. The tracking module 220 is illustrated in figure 1 as part
40 of the portal server 200. However, it may reside in any of the 100, 180, 400, 300,
200, or 600 components of the system. The tracking module 220 is further capable
25 of tracking the transaction value of e-commerce transactions originating from a
specific publication, type of publication, or provider 600 and calculate fee
percentages based on the transaction. For example, the scanner 100 may comprise
45 a clock capable of tracking the time the ad was scanned. In an embodiment where
scanner 100 is a GPS, the geographical location where the scan occurred may also
30 be tracked. A method of the invention also contemplates transmitting bio-metric

5 information according and to the extent permitted by the user personal profile
information. The combination of all tracking information comprises ad read-scan
10 context information which may be transmitted to the portal server 200 or to the
provider 600 according to and to the extent permitted by the user personal profile
5 information.

15 The receiver 180 is in communication with the scanner 100, and portal
server 200 via wire, or through wireless technology such as infrared, light based
transmission, radio frequency, or satellite. The receiver 180 could be incorporated
into or be a computer, a cell phone, a pager, a remote control, a personal digital
20 10 assistant, a simple buffer, or use a direct link. The receiver 180 could also be
incorporated into existing devices such as a television, a set top box, a Web TV
device, a VCR, a Digital Versatile Disc ("DVD") player, an appliance, a customer
premises equipment ("CPE") 300, or any other electronic device. The receiver 180
25 may, but not necessarily, collect, sort and prioritize the transmissions of link and
15 user input information. The receiver 180 could queue up these transmissions or
process them immediately. The receiver 180 could also contain at least one cookie,
30 and received time information, as well as other information including receiver or
provider specific information.

35 In one embodiment of a system performing a method of the invention, the
20 receiver 180 forwards the raw scanned codes 10 directly to the portal server 200 or
other site such as a provider 600 via a portal server 200. In another embodiment,
the receiver 180 collects, stores, processes, and forwards the scanned code
information along with the cookie and other state dependant information, such as
40 time, temperature, and location, to the network.

25 The receiver 180 may be multi-functional and include multiple inputs such
as radio frequency and infrared. The receiver 180 may also incorporate X-10,
45 wireless, wired, and power-line networking to link to multiple units or, for larger
installations, at least one repeater. The receiver 180 may also incorporate wireless,
wire-line, or power-line links to at least one local computer or CPE 300.

5

10

5

15

20

10

25

15

30

35

20

40

25

45

50

55

5 In embodiments shown in Figures 2 and 4, the CPE 300 may function as a
queue processor or pre-processor. Also a user may enter information using the
CPE 300, including user personal profile information. In another embodiment,
10 scanned codes 10 are processed by the CPE 300 according to user preferences. By
way of example, the CPE 300 could process the codes 10 automatically and
sequentially as the codes 10 are received, or store the codes 10 in a queue to be
15 processed at the convenience of the user. Cookies may be stored on one or more
of the CPE 300, the scanner 100, and the receiver 180. The CPE 300 receives the
scanned code 10, including the link information from scanner 100, and transmits
20 the code 10 to the portal server 200. The portal server 200 resolves the link
information and sets up a path from a location on the network, such as a specific
web address, Internet site, or provider 600 location, to the receiver 180. The
location sends information, such as multimedia information sequences 500, along
25 the path to the receiver 180 for display and playback.

15 A system for performing a method of the present invention contemplates at
least one portal server 200. The portal server 200 may be a single site or multiple
sites. The portal server 200 is in communication with the scanner 100 and the
30 receiver 180 via the network and centrally manages, assigns, and controls the codes
10, code types and information from the printed media 50. The portal server 200
is capable of receiving the link information and the user input information,
35 selecting a multimedia information sequence 500 corresponding to the link
information and the user input information, and sending the multimedia
information sequence 500 via the network to the receiver 180.

40 One advantage of the method of the invention is the minimal amount of
information needed to be scanned to link to a specific location when using a link
information database including cookies at the portal server 200. The portal server
200 processes code 10 which may contain levels of embedded information, and
45 references information, such as database information provided by providers 600,
advertisers, and information providers. The information contained in scanned code
30 10 may be combined with at least one of the user input information, the cookie,

5 state dependant information, ad read-scan context information and other transmitted
information to link the portal server 200 to at least one location on the network and
10 complete a transaction, such as a request for information or an e-commerce
transaction.

5 In one embodiment of a system performing a method of the invention, the
portal server 200 is adapted to receive and process requests from a user who
15 provides the portal server 200 with raw code 10 through a communications device
such as a keyboard, a telephone, a voice activated system, or a modem. In this
embodiment, a user can initiate the interactive communication of multimedia
20 10 information without using scanner 100. In a further embodiment, the scanner 100
may access the portal server via a telephone dial system. For example, after
scanning, a user may use a telephone to communicate the scanner 100 to the
network. Once data has been transferred, the user may use a voice menu system
25 to control the remainder of the transaction, such as the receipt of sound only
15 multimedia information, or engaging in a transaction. In another embodiment, the
portal server 200 has a single common database of links for print and electronic
transactions. The database of links may be accessed by users of the system, such
30 as advertisers, print media owners, and information providers 600.

A tracking module 220 in the portal server 200 can track link information
35 20 corresponding to a user, such as a universal resource locator, an Internet address
information, a trademark information, a source of origin, an organization name, a
product name, a service name, a benefit redemption information, a provider defined
information, a user personal profile information, a user interest information, a
40 server command information, and a customer premises equipment preference
25 information.

The tracking module 220 is also capable of tracking fees associated with
45 every ad and every transaction originating on the network via the portal server 200.
Fees may be based on, for example, the selected multimedia information sequence,
the number and frequency of the link information received by the portal server
50 30 corresponding to a particular information provider, or the transaction value in the

5 event the selected multimedia information sequence generates a transaction. The
fee tracking module 220 can track fees relating to at least one e-commerce
10 transaction originating from the scan.

10 A provider management module 230 and a statistics module 240 in the
5 portal server 200 maintain advertising information and transactions generated from
the providers 600 that originate independent of a scan based on user personal
15 profile information. Thus, the invention allows advertisers to broadcast to users of
the portal server 200 according to the user personal profile information or portal
server configuration. The provider management module 230 is capable of providing
20 10 feed back to the providers regarding the effectiveness of the provider's printed
media 50, and allows for flexible, real-time message tuning.

25 An individual demographics ("indigraphics") module (not shown) in the
portal server 200 performs user personal profile information management
functions, such as marking and publishing auction oriented information based on
15 the user personal profile and interest information.

30 A funds management module (not shown) in the portal server 200 manages
and facilitates fund transactions between users of the system. The funds
management module processes information from the other modules in the portal
server 200, such as the tracking module 220. Preferably, the funds management
20 20 module uses a form of electronic funds transfer, such as Ecash, to accept and
35 distribute funds according to information received from the tracking module 220.

40 For example, in a system capable of performing a method of the invention,
a person can scan an ordinary black and white automobile advertisement placed in
a newspaper by a local dealer that is enhanced with code 10. Shortly thereafter, the
25 25 person experiences a full-featured multimedia presentation related to the
advertisement on the person's Web TV or computer. The tracking module 220
calculates a fee to be shared between the manufacturer, the dealer, and the person
45 45 buying the car based on a percentage of the sale. The funds management module
can accept Ecash from the person and either distribute it to all parties involved in
30 30 the transaction or store the information as debits and credits in an account database.

5

10

In another example, a person can go to the grocery store and scan UPC codes 10 off items and check the nutrition information or recipes at the end of the aisle in a kiosk with or without a printer. Alternatively, the person can take the UPC information home and upload it to their receiver 180 or a CPE, and get information on the product, a coupon, or other benefit redemption information. The store could optionally provide a link to the net so the user could upload the information to his home computer from the store via the Internet connection.

15

20

In another example, stuffed animals could be linked to a location on the network by using a scanner 100. The scanner 100, according to this example can be a proximity-based device, such as a smart button (like those in Java rings), or almost any other kind of device including security cards and access devices.

In another example, a person can scan a 5 year old computer monitor on the person's desk and be immediately routed to a web page that offers a list of local service centers for the monitor or technical information about the monitor, such as schematics, instruction manuals, or warranty manuals. The transaction could also result in the person receiving a rebate offer, a trade-in offer, or recall and safety information. The invention enables manufacturers to maintain contact with customers for extended periods of time beyond the traditional period of time manufacturers and customers interact. The contact enables the manufacturer to collect product usage information that was traditionally inaccessible. Manufacturers could also use incentive programs to get people to scan their products.

25

30

35

40

The invention provides a method for allowing the information providers 600 to electronically receive codes 10 to embed in the advertisements. It also allows the publishers of the advertisements, such as newspaper and magazine companies, to print their own ad codes and share this information with the portal server 200. The invention contemplates using an enhanced code in the ads containing information on the identity of the publication and the product and enables the publishers of the ads to share in the flow-through profits of a transaction even though they may not provide any products. The invention further enables simple

45

50

55

5 marketers and catalogue providers to operate with reduced infrastructure by
including information in the code 10 which points to portal-operated e-commerce
10 stores or to the manufacturer/distributor's e-commerce store.

Reprints of copyrighted material could also be a service the portal server
5 200 provides to authors. Authors may embed a code 10 in their book or article. A
user scanning the code 10 could receive a copy of the entire article or related
15 articles or books or information for an appropriate fee. The invention provides
authors with an inexpensive method for collecting fees that are typically very
small. A copyright service portal server could credit the author's account by
20 pennies or even fractions of pennies per downloaded page via an existing e-
commerce service or another portal server. Fees associated with accessing and
downloading moderately and expensively priced items, such as CDs and
25 newsletters, can be handled in a similar fashion.

The invention further contemplates setting up medical testing devices to
15 operate with the system. A body monitor capable of tracking medical information
regarding the person's then existing medical condition could communicate this
information periodically or when a parameter is so indicated or satisfied. The
30 system of the invention features the ability to combine wired and wireless raw data
with user input, state information, and cookie information, at the portal server 200.
20 The portal server 200 directs and channels the information based on the user
personal profile information. The base information could be a code that is scanned
or is embedded in a device that adds the base information to information collected
by the body monitor. The link at the portal server 200 may be dynamically moved
40 and a new version of the body monitor's embedded code or a new set of parameters
25 may be downloaded from a location on the network.

The invention also contemplates using the system to collect alarm and
45 appliance information from household items. The system includes a central
receiver capable of receiving radio frequency or infrared signals. A raw data
stream, pointer information, and state information may be transmitted from the
50 household item to the receiver. The receiver communicates the information to the

portal server. The portal server can combine the information with a cookie and use the pointer information to securely send it to the manufacturer's web site.

The system executing a method of the invention may have several modes of operation, including collect and store, collect and execute, and collect and process then execute. The user sets the mode according to the user personal profile information. The user interface of the scanner, settings on the receiver and software settings on the CPE 300 or the portal server 200 may also be combined with the user personal profile information to set the mode.

Existing remote control devices such as television remote controls can be modified to scan and transmit the code 10 to a receiver 180 such as a set top box. In one embodiment, the code 10 would be scanned and embedded after a specific sequence of standard codes that could be stripped out by the receiver 180. For example, in collect and store mode, pressing a predetermined sequence of buttons on a remote control will activate the scan mode of the remote. Once activated, the remote control can be used to collect and store a code 10 from a magazine advertisement, for example. The user would then point the remote at the set top box and depress a single key or sequence of keys to transmit the code information.

Information such as multi-media information sequences 500, may be transmitted to a CPE 300, or any other receiver 180 connected to the network. The receiver 180 and a local CPE 300 could be combined into a single unit. The receiver 180 could be a dumb or smart device, embedded or stand alone. The CPE could be a PC or could be omitted or replaced by online processing or by a Web TV. The receiver 180 and scanner 100 of the invention can be combined and included as part of an enhanced WebTV.

In one embodiment of a system for performing a method of the invention, the system enables initiating a communication from a printed medium containing provider information across a network, the system comprising:

a scanner for receiving data from the printed medium, the data comprising link information corresponding to the provider information, the scanner comprising a memory;

5

a user interface for receiving user input information, the user input information capable of being stored in the memory; and

10

a communications bridge in communication with the network;

5 a receiver in communication with the scanner, the receiver capable of receiving and communicating the link information and the user input information via the network and receiving and playing a multimedia information sequence; and

15

a portal server in communication with the scanner and with the receiver via the network, the portal server capable of receiving the link information and the user input information, selecting the multimedia information sequence corresponding

20

10 to the link information and the user input information, and transmitting the multimedia information sequence via the network to the receiver.

The data may be machine-readable code. The machine-readable code may be a barcode, an enhanced barcode, a new enhanced code, a dynamic code, and or
25 a high-density barcode. The machine-readable code may further comprise publication information or personal security information or a provider security
15 information. At least one machine-readable code may be stored in a code file. The code file may be stored in the scanner memory.

30

The link information may be a universal resource locator, an Internet address information, a trademark information, a source of origin, an organization
35 20 name, a product name, a service name, a benefit redemption information, a provider defined information, a user personal profile information, a user interest information, a server command information, a customer premises equipment preference information, and an alphanumeric sequence printed in form of a machine-readable
40 code.

40

25 The alphanumeric sequence may be assigned by a provider of the provider information. The provider information may be extracted from the alphanumeric sequence and translated into a network address at the portal server. The system may also comprise a link table capable of translating the alphanumeric sequence into a network address. The alphanumeric sequence may be one of a UPC or an
45 30 ISBN number.

50

55

5
10 The system may further comprise a plurality of link information. The scanner and receiver may be combined into a single unit. The scanner may be further capable of routing the link information and the user input information to the network in response to a user request via the user interface.

15 The communications bridge may be capable of sending the link information and/or the user input information to the receiver or the portal server.

20 The scanner may be a hand-held device. The hand-held device may be wireless. The portal server may be accessible via the network to a network user and/or accessible exclusively by a provider of information. The user input information may comprise one or more of a user personal profile information, or a user interest information. The scanner may be capable of storing a plurality of data. The user input information may be selected from the group consisting of an advertising authorization, a transaction authorization, and a user personal profile information. The scanner may be a remote control, a mouse, a cellular-telephone, 25 a pager, a personal digital assistant, or a personal computer.

30 The user interface may be a voice activated system, a keypad, or a keyboard. The communications bridge may be either of an infrared communications system, a mobile radio communications system, or an IP-based communications system. The network may be the Internet, an Intranet, or an Extranet. 35

40 The scanner may be an enhanced existing electronic device, a TV remote control, a mouse, a cell phone, a pager, a PC card device, a palmtop, a calculator, a key chain, a pen, an identification card, a smart card, a hand held GPS device, a desktop or laptop computer, a digital appliance, or a microprocessor-based device.

45 The portal server may further comprise a tracking module capable of tracking the link information corresponding to the user and a percentage of a fee to be charged to the information provider. The fee may be based on at least one of the selected multimedia information sequence, a number and frequency of the link information received by the portal server corresponding to a particular information 50

5 provider, or a transaction value when the selected multimedia information sequence generates a transaction.

10 The multimedia information sequence may be advertising or transaction information. The user input information may further comprise a user personal profile information.

15 The portal server may be further capable of tracking a percentage of a fee to be charged to the information provider based on the selected multimedia information sequence and the user personal profile information.

20 The user input information may comprise at least one user interest information. The portal server may further be capable of auctioning the user interest information to an information provider according to a user defined auction criteria in the user personal profile information. The user personal profile information may be stored on the portal server.

25 The portal server may be further capable of tracking a percentage of a fee to be charged to the information provider based on the selected multimedia information sequence and the user interest information. The scanner and the customer premise equipment device may embody a single device. The customer premises equipment may be either of a television, a set top box, a computer, a cell telephone, a remote control, a personal digital assistant, an integrated PC-TV device, or a pager. The multimedia sequence information may be one or more of textual, audio, or video information.

30 The system may further comprise a receiver in communication with the communications bridge. The machine-readable code may change dynamically. The tracking module may be located in either of the scanner, the receiver, or the portal server.

35 In a preferred embodiment, the tracking module is capable of tracking one or more of the link information, the user input information, a percentage of a fee to be paid back to a user of the system and to a manager of the portal server, according to the user personal profile information.

40 The portal server may further comprise a provider management module for

controlling the duration and frequency of multimedia sequence information independent of scan generated transactions and for billing the information provider a fee for presenting the multimedia sequence information.

The scanner may maintain a clock for synchronizing scan related information which may be transmitted along with the user input information. Either of the scanner, the receiver, or the portal server may maintain a provider management module capable of

controlling the multimedia sequence information;

tracking the duration and frequency of the displayed multimedia information as part of the sequence at the receiver, wherein the sequence is in part provided by an information provider via the network;

billing the information provider a fee for displaying the provided multimedia information as part of the sequence; and

tracking a percentage of the fee which will be paid back to an owner of the receiver.

The system may further comprise an interactivity feature for selectively accessing the multimedia sequence information by a user at any time via an interactivity button of the scanner. The interactivity feature may be capable of accessing an application as part of the sequence provided by an information provider to maintain a transaction between a user and the information provider.

The portal server may be capable of controlling one or more of the transaction, a number of transactions between the user and the information provider and a number of interactions between the user and the information provider. The portal server may be further capable of billing the information provider a fee for maintaining either of the controlled number of transactions or the controlled number the interactions. The portal server may be further capable of tracking a percentage of the fee which will be paid back to an owner of the scanner. The transaction may be either of catalog shopping or a purchase.

The link information may include a network address information (e.g. an IP address). The network address information may point to a file containing

5
10
15
20
25
30
35
40
45
50
55

executable code. Any one or more of the scanner, the receiver, or the portal server may contain at least one link table. Any one or more of the scanner, the receiver, or the portal server may contain additional information or downloaded executable code and intelligence that could supplement the code with an interactive response of the person using the system. The additional information may comprise the person's identifying information, name, address, credit card(s) information, and related information.

The code may further be capable of containing personal information and reorder information printed by the provider, whereby the personal information is validated against the user personal profile information before a reorder or another transaction is allowed to proceed. The code may be an information-only type capable of linking to an information page. The code may be a universal product code (UPC). The code may be routed based on any of the scanned information in combination with the cookie information, the person's interactive responses from the user input information, the person's location or other demographic information and the portal server database information. The code may be a reorder code, whereby reordering of a product may be activated by scanning the code, recognizing it as the reorder code, and maintaining a transaction via the portal server such that a percentage of a fee for the reorder is maintained by a tracking module. The tracking module may also maintain a percentage of a fee corresponding to revenue sharing with the person originating the transaction.

The code types may include a phone number, a business card, service information, benefit redemption information, a rebate, a coupon, a literature, or general information category of interest to a person or information provider. The code may be uploaded to either of the scanner, the receiver, or the portal server once or alternatively may be sent locally or with cookie and security information from anywhere in the network.

The processing of the collected codes may be done at a time different from reading and scanning the printed medium. The code may be a UPC code, whereby the user is directed to a provider via the link table without any additional codes.

5 One or more of the scanner, the receiver, or the portal server may maintain code
templates for interactivity, transaction information, authorization information,
10 references to the publisher, media originator, ad placement, date of publication,
dealer, reseller or distributor. One or more of these elements may further maintain
5 a tracking module working in conjunction with a statistics module collecting the
scanned information on the basis of code types used in scanning the provider
15 information and collecting demographic information relating to the user personal
profile information, link information, and user input information. The tracking
module may be capable of tracking, redirecting, and targeting usage of the codes
20 by different information providers based on the content of the printed information.

25 A person using the system may choose to publish the fact of the scan,
thereby allowing a competitor to bid for the right to display to the person more
information about the competitor's comparable product or a transaction, based upon
the user interest information.

15 The system may be in communication with at least one digital copyright
database corresponding to physical published products bearing the code in tangible
30 format, whereby the scan directs a person wanting to copy the published product
to the copyright database via the portal server, and the portal server tracks fees
based on the copy and is capable of suggesting topically related published products.
20 The portal server may also be capable of monitoring xerographic equipment
connected to the network for the processing of the code, which then activates the
access to the copyrighted materials database. The code may be an intelligent
35 watermark capable of carrying identifying, distribution, and fee related information
on a physical published product.

25 Any one or more of the scanner, the receiver, the portal server, or the
provider may be capable of allowing either the information provider or an owner-
45 publisher of printed medium to track scanned printed medium impressions to
execution and to collect demographic information according to the user personal
profile information. This tracking feature may track the percentage of e-commerce
30 transactions originating from a specific publication, provider, or specific type of

5

10

15

20

25

30

35

40

45

50

55

5 publication. The tracking feature may further track the percentage of a fee to be
paid back to the owner-publisher of the printed medium based on the number of
10 impressions.

The receiver may be a customer premises equipment, a computer, a simple
5 buffer, a direct link, a television, a cell-phone, a pager, a set top box, a PC-TV
device, a VCR, a DVD player, an appliance, or any other electronic device.

15 The portal server may comprise one or multiple sites where the processing
of the codes takes place. The portal server may allow central management,
assignment, and control of the codes and code types and provider information. The
20 portal server may allow advertisers to the portal server, print media owners, and
information providers to have a single common database of links for print and
electronic transactions. The portal server may maintain a fee tracking module for
tracking charges based on an ad or a transaction originating on the network via the
25 portal server. The fee tracking module may also track fees relating to e-commerce
15 transactions originating from the scan.

The portal server may further maintain a provider management module and
30 a statistics module for tracking and maintaining advertising and transactions
generated from the providers but originating independent of a scan, based on user
personal profile information.

35 20 The system may enable the advertisers to broadcast provider information
to the portal server users according to the user personal profile information or
general portal configuration.

40 The provider management module may be capable of providing feed-back
to the information providers regarding the effectiveness of the provider printed
25 information, and allowing for flexible, real-time message tuning.

45 The portal server may further maintain an indigraphics module for
providing the user personal profile information management functions and for
publishing auction-oriented information based on the user personal profile and user
interest information. The indigraphics module may operate in conjunction with a
30 bid tracking module collecting the user personal profile information corresponding

5 to bidding users who scanned or expressed interest via the user interest information,
whereby the bid tracking module tracks bids placed by bidding users according to
10 published auction information and tracks a percentage of a fee to be paid back to
the publisher of the auction information and a media publisher who printed,
5 published, or originated the bid.

15 The portal server may maintain a code management module allowing the
information providers to electronically set and maintain codes, and the
corresponding link information.

20 The code management module may allow the media providers to create and
10 print their own codes and share the code information with the portal server. One
or more of the scanner, the receiver, and the portal server in the system may
maintain the ability to dynamically change the link or a link table at the portal and
25 to effect a download of a new version of a code or a new set of templates or a new
link. The machine-readable code may be a universal product code (UPC) or an
15 ISBN code. The portal server may be capable of selecting the multimedia sequence
information based on the link information containing any one or more of a producer
name, a distributor name, or a product name, and based on a provider preference
30 link accessible to the provider.

35 The invention further contemplates a method for communicating
20 multimedia information via a network connecting a scanner, a portal server, and a
customer premises equipment, wherein the communication is activated via a
printed medium, the method comprising the steps of:

40 scanning a machine-readable code containing a link information
corresponding to a provider information from the printed medium using a scanner;

25 storing the machine-readable code in a memory;

45 extracting the link information from the machine readable code in the
memory;

obtaining and storing a user input information corresponding to the provider
information in the memory;

30 sending the link information and the user input information to the portal

5

10

5

15

20

10

25

15

30

35

20

40

25

45

50

55

server via the network;

receiving the link information and the user input information at the portal
server;

selecting a multimedia information sequence corresponding to the link
information and the user input information;

sending the multimedia information sequence to the receiver via the
network;

receiving and storing the multimedia information sequence at the receiver;
and

playing the multimedia information sequence via the receiver.

In an embodiment, the invention comprises a method for communicating
multimedia information via a network, wherein the communication is activated via
a printed medium, a system for performing the method comprising:

a scanner for machine-readable code containing a link information
corresponding to a provider information depicted on the printed medium, the
scanner being connected to the network, the scanner containing

a memory;

a user interface for obtaining user input information capable of being
stored in the memory, the user input information corresponding to the provider
information;

a communications bridge for sending the link information and the
user input information via the network;

a portal server in communication with the scanner via the network, the
portal server capable of

receiving the link information and the user input information;

selecting a multimedia information sequence corresponding to the
link information and the user input information; and

sending the multimedia information sequence via the network; and

a customer premises equipment in communication with the portal server,
the customer premises equipment capable of receiving the multimedia information

5

sequence and playing the multimedia information sequence.

10

In another embodiment, the invention comprises a method for communicating multimedia information via a network, wherein the communication is activated via a printed medium, a system for performing the method comprising:

5

a user device capable of connecting to the network, the user device containing a scanner and a storage device for machine-readable code containing a link information corresponding to a provider information depicted on the printed medium;

15

a user interface for obtaining user input information capable of being stored in the storage device, the user input information corresponding to the provider information;

20

a communications bridge for sending the link information and the user input information via the network;

25

a display device for receiving multimedia information sequence and playing the multimedia information sequence; and

15

a portal server in communication with the user device via the network, the portal server capable of receiving the link information and the user input information, selecting a multimedia information sequence corresponding to the link information and the user input information, and sending the multimedia information sequence via the network.

30

35

20

In yet another embodiment, the invention comprises a method for communicating multimedia information via a network, wherein the communication is activated via a tangible medium, a system for performing the method comprising:

40

a user device capable of connecting to the network, the user device containing

25

a transducer and a storage device for machine-readable code containing a link information corresponding to a provider information depicted on the printed medium;

45

50

55

5 a user interface for obtaining user input information capable of being
stored in the storage device, the user input information corresponding to the
10 provider information;

a communications bridge for sending the link information and the
5 user input information via the network;

15 a display device for receiving multimedia information sequence and playing
the multimedia information sequence; and

a portal server in communication with the user device via the network, the
portal server capable of receiving the link information and the user input
20 10 information, selecting a multimedia information sequence corresponding to the link
information and the user input information, and sending the multimedia
information sequence via the network.

25 In this embodiment of the system, the user device may be either of a
proximity-based device capable of activating a smart button or a contact-based
15 device.

30 The present invention may be embodied in other specific forms without
departing from the spirit or essential attributes thereof and, accordingly, reference
should be made to the appended claims, rather than to the foregoing specification,
as indicating the scope of the invention.

THIS PAGE BLANK (USPTO)

Claims

5

10

15

20

25

30

35

40

45

50

55

5

CLAIMS

10

1. A method for managing a domain name service based on initiating a communication from an object containing provider information via a network connecting a scanner, a portal server, and a receiver, the method comprising the steps of:

15

5

scanning a machine-readable code containing a link information corresponding to the provider information from the object using the scanner;

20

storing the machine-readable code in a memory;

10

extracting the link information from the machine readable code in the memory;

25

obtaining and storing a user input information corresponding to the provider information in the memory;

sending the link information and the user input information to the portal server via the network;

30

15

receiving the link information and the user input information at the portal server;

selecting a multimedia information sequence corresponding to the link information and the user input information;

35

sending the multimedia information sequence to the receiver via the network;

20

receiving and storing the multimedia information sequence at the receiver;

40

and

playing the multimedia information sequence via the receiver.

45

25

2. The method of claim 1 wherein the portal server further comprises a code tracking module for tracking at least one of the data, a link table entry, embedded template calls for interactivity, references to a publisher, a media originator, an ad placement, a date of publication, a dealer, or other provider

50

55

5

10

information, licensing fees corresponding to licensing at least one of the data, a link table entry or a machine readable code to third parties, advertising used in connection with the codes, and demographics or indigraphics corresponding to the use of the codes.

15

- 5 3. The method of claim 1 wherein the portal server further comprises a transaction tracking module in communications with one of the scanner or the receiver, the transaction tracking module being capable of tracking purchasers based on transaction size and frequency and matching the size and frequency to a scanner device such that the device cost is subsidized based on the size and frequency of the transaction.

20

10

25

4. The method of claim 1 wherein the portal server further comprises a credit card module in communication with one of the scanner, the receiver, or the portal server, the credit card module being capable of at least one of the steps of tracking transactions and corresponding referrals,
15 accessing electronically credit limits for the transactions,
 tracking the size and frequency of purchases and corresponding purchasers, communicating in a two-way manner,
35 obtaining credit and balance information and
 maintaining transactions.

30

15

35

- 20 5. The method of claim 1 wherein the portal server further comprises an affinity information tracking module, the module maintaining at least one of benefit redemption, frequent flyer, or affinity information.

40

45

6. The method of claim 1 wherein the object is a yellow pages publication.

50

55

5

10

7. The method of claim 1 wherein the portal server is further capable of tracking fees corresponding to transactions initiated via a scan whereby everyone along the consumption and distribution food chains gets paid a percentage of the transaction.

15

5 8. The method of claim 8 wherein the food chain includes portal providers, hardware manufacturers, bandwidth carriers, media companies, ad firms, persons placing the ad, stores where the transaction was initiated, information providers, and any other parties facilitating the transaction.

20

25

10 9. The method of claim 1 the portal server further comprises a transaction tracking module in communications with either of the scanner or the receiver, whereby the transaction tracking module is capable of tracking one or more of the purchasers or e-commerce transactions based on transaction size and frequency and matching the size and frequency to a scanner device such that a second product or service such that a cost of the second product or service is

15 30 subsidized based on the size and frequency of the transaction initiated via a scan.

30

35

10. The method of claim 1 wherein the data comprises a machine-readable code containing any digital information including executable code, templates, or other digital content comprising a video, audio, or text data.

40

45

50

55




FIG. 1




FIG. 2

2/2




FIG. 3




FIG. 4

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US00/09613

A. CLASSIFICATION OF SUBJECT MATTER IPC(7) : G06F 13/00 US CL : 709/219, 224, 227 According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) U.S. : 709/202, 217, 219, 223, 224, 227, 230, 250, 313, 328, 329 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) EAST		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5,804,803 A (CRAGUN et al) 08 September 1998, cols 1-2.	1-2,5-6,10
X	US 5,869,819 A (KNOWLES et al) 09 February 1999, cols 1-5.	1-2, 10
Y,P	US 5,978,773 A (HUDETZ et al) 02 November 1999, cols 1-3.	1-10
X,P	US 5,979,757 A (TRACY et al) 09 November 1999, cols 1-2.	1-3, 5-6, 9-10
Y,P	US 5,995,105 A (REBER et al) 30 November 1999, cols 1-2.	1-10
<input type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "A" document member of the same patent family		
Date of the actual completion of the international search 18 JUNE 2000		Date of mailing of the international search report 30 AUG 2000
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703) 305-3230		Authorized officer VIET VU <i>James R. Matthews</i> Telephone No. (703) 305-9600

THIS PAGE BLANK (USPTO)